

# SAFETY DATA SHEET

According to REACH Regulation (EC) No 1907/2006, as amended by  
UK REACH Regulations SI 2019/758



## Tork Hand Sanitizing Alcohol Foam

Version  
1.2

Revision Date:  
18.06.2025

SDS Number:  
11449176-00003

Date of last issue: 20.01.2025  
Date of first issue: 08.10.2024

---

### SECTION 1: Identification of the substance/mixture and of the company/undertaking

#### 1.1 Product identifier

Trade name : Tork Hand Sanitizing Alcohol Foam

#### 1.2 Relevant identified uses of the substance or mixture and uses advised against

Use of the Substance/Mixture : Biocidal product, Human hygiene

Recommended restrictions on use : Not applicable

#### 1.3 Details of the supplier of the safety data sheet

Distributor and authorization holder

ESSITY UK LTD

Southfields Road, LU6 3EJ, Dunstable, United Kingdom

+44 1582 677570

Phone number for emergencies: 999 or 112. The numbers are available 24/7.  
info@essity.com

Manufacturer (according to REGULATION (EU) 2023/988 article 3 (8))

Essity Hygiene and Health AB

Mölndals Bro 2, 431 31, Mölndal, Sweden

+46 (0)31 746 00 00

E-mail address of person responsible for the SDS : info@essity.com

#### 1.4 Emergency telephone number

Phone number for emergencies: 999 or 112. The numbers are available 24/7.

---

### SECTION 2: Hazards identification

#### 2.1 Classification of the substance or mixture

**Classification (REGULATION (EC) No 1272/2008) as amended by GB-CLP Regulation, UK SI 2019/720, and UK SI 2020/1567)**

Flammable liquids, Category 2 H225: Highly flammable liquid and vapour.

Eye irritation, Category 2 H319: Causes serious eye irritation.

# SAFETY DATA SHEET

According to REACH Regulation (EC) No 1907/2006, as amended by  
UK REACH Regulations SI 2019/758



## Tork Hand Sanitizing Alcohol Foam

Version 1.2	Revision Date: 18.06.2025	SDS Number: 11449176-00003	Date of last issue: 20.01.2025 Date of first issue: 08.10.2024
----------------	------------------------------	-------------------------------	---

### 2.2 Label elements

**Labelling (REGULATION (EC) No 1272/2008) as amended by GB-CLP Regulation, UK SI 2019/720, and UK SI 2020/1567)**

Hazard pictograms	:	
Signal word	:	Danger
Hazard statements	:	H225      Highly flammable liquid and vapour. H319      Causes serious eye irritation.
Precautionary statements	:	<b>Prevention:</b> P210      Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking. P233      Keep container tightly closed. P264      Wash skin thoroughly after handling. P280      Wear protective gloves/ protective clothing/ eye protection/ face protection.  <b>Response:</b> P303 + P361 + P353      IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water. P337 + P313      If eye irritation persists: Get medical advice/ attention.

### 2.3 Other hazards

This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher.

Vapours may form explosive mixture with air.

## SECTION 3: Composition/information on ingredients

### 3.2 Mixtures

Chemical nature      :      Alcohol

#### Components

Chemical name	CAS-No. EC-No. Index-No. Registration number	Classification	Concentration (% w/w)
Ethanol	64-17-5 200-578-6 603-002-00-5	Flam. Liq. 2; H225 Eye Irrit. 2; H319 specific concentra-	>= 50 - < 70

# SAFETY DATA SHEET

According to REACH Regulation (EC) No 1907/2006, as amended by  
UK REACH Regulations SI 2019/758



Tork.  
an Essity brand

## Tork Hand Sanitizing Alcohol Foam

Version  
1.2

Revision Date:  
18.06.2025

SDS Number:  
11449176-00003

Date of last issue: 20.01.2025  
Date of first issue: 08.10.2024

		tion limit Eye Irrit. 2; H319 >= 50 % Eye Irrit. 2; H319 >= 50 %	
Propan-2-ol	67-63-0 200-661-7 603-117-00-0	Flam. Liq. 2; H225 Eye Irrit. 2; H319 STOT SE 3; H336	>= 10 - < 20
2-Methyl-2,4-pentanediol	107-41-5 203-489-0 603-053-00-3	Skin Irrit. 2; H315 Eye Irrit. 2; H319 Repr. 2; H361d	>= 0.1 - < 1
Substances with a workplace exposure limit :			
Glycerine	56-81-5 200-289-5		>= 1 - < 10

For explanation of abbreviations see section 16.

## SECTION 4: First aid measures

### 4.1 Description of first aid measures

General advice : In the case of accident or if you feel unwell, seek medical advice immediately.  
When symptoms persist or in all cases of doubt seek medical advice.

Protection of first-aiders : First Aid responders should pay attention to self-protection, and use the recommended personal protective equipment when the potential for exposure exists (see section 8).

If inhaled : If inhaled, remove to fresh air.  
Get medical attention.

In case of skin contact : In case of contact, immediately flush skin with soap and plenty of water.  
Remove contaminated clothing and shoes.  
Get medical attention.  
Wash clothing before reuse.  
Thoroughly clean shoes before reuse.

In case of eye contact : In case of contact, immediately flush eyes with plenty of water for at least 15 minutes.  
If easy to do, remove contact lens, if worn.  
Get medical attention.

If swallowed : If swallowed, DO NOT induce vomiting.  
Get medical attention.  
Rinse mouth thoroughly with water.

### 4.2 Most important symptoms and effects, both acute and delayed

# SAFETY DATA SHEET

According to REACH Regulation (EC) No 1907/2006, as amended by  
UK REACH Regulations SI 2019/758



## Tork Hand Sanitizing Alcohol Foam

---

Version 1.2	Revision Date: 18.06.2025	SDS Number: 11449176-00003	Date of last issue: 20.01.2025 Date of first issue: 08.10.2024
----------------	------------------------------	-------------------------------	---

---

Risks : Causes serious eye irritation.

### 4.3 Indication of any immediate medical attention and special treatment needed

Treatment : Treat symptomatically and supportively.

---

## SECTION 5: Firefighting measures

### 5.1 Extinguishing media

Suitable extinguishing media : Water spray  
Alcohol-resistant foam  
Carbon dioxide (CO<sub>2</sub>)  
Dry chemical

Unsuitable extinguishing media : High volume water jet

### 5.2 Special hazards arising from the substance or mixture

Specific hazards during fire-fighting : Do not use a solid water stream as it may scatter and spread fire.  
Flash back possible over considerable distance.  
Vapours may form explosive mixtures with air.  
Exposure to combustion products may be a hazard to health.

Hazardous combustion products : Carbon oxides  
Nitrogen oxides (NO<sub>x</sub>)  
Chlorine compounds  
Silicon oxides

### 5.3 Advice for firefighters

Special protective equipment for firefighters : In the event of fire, wear self-contained breathing apparatus.  
Use personal protective equipment.

Specific extinguishing methods : Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.  
Use water spray to cool unopened containers.  
Remove undamaged containers from fire area if it is safe to do so.  
Evacuate area.

---

## SECTION 6: Accidental release measures

### 6.1 Personal precautions, protective equipment and emergency procedures

Personal precautions : Remove all sources of ignition.  
Ventilate the area.  
Use personal protective equipment.  
Follow safe handling advice (see section 7) and personal protective equipment recommendations (see section 8).

# SAFETY DATA SHEET

According to REACH Regulation (EC) No 1907/2006, as amended by  
UK REACH Regulations SI 2019/758



## Tork Hand Sanitizing Alcohol Foam

Version  
1.2

Revision Date:  
18.06.2025

SDS Number:  
11449176-00003

Date of last issue: 20.01.2025  
Date of first issue: 08.10.2024

---

### 6.2 Environmental precautions

Environmental precautions : Avoid release to the environment.  
Prevent further leakage or spillage if safe to do so.  
Prevent spreading over a wide area (e.g. by containment or oil barriers).  
Retain and dispose of contaminated wash water.  
If spillage enters rivers or watercourses, inform the Environment Agency (emergency telephone number 0800 807060).

### 6.3 Methods and material for containment and cleaning up

Methods for cleaning up : Non-sparking tools should be used.  
Soak up with inert absorbent material.  
Suppress (knock down) gases/vapours/mists with a water spray jet.  
For large spills, provide dyking or other appropriate containment to keep material from spreading. If dyked material can be pumped, store recovered material in appropriate container.  
Clean up remaining materials from spill with suitable absorbent.  
Local or national regulations may apply to releases and disposal of this material, as well as those materials and items employed in the cleanup of releases. You will need to determine which regulations are applicable.  
Sections 13 and 15 of this SDS provide information regarding certain local or national requirements.

### 6.4 Reference to other sections

See sections: 7, 8, 11, 12 and 13.

---

## SECTION 7: Handling and storage

### 7.1 Precautions for safe handling

Technical measures : See Engineering measures under EXPOSURE CONTROLS/PERSONAL PROTECTION section.

Local/Total ventilation : If sufficient ventilation is unavailable, use with local exhaust ventilation.  
Use explosion-proof electrical, ventilating and lighting equipment.

Advice on safe handling : Avoid inhalation of vapour or mist.  
Do not swallow.  
Do not get in eyes.  
Avoid prolonged or repeated contact with skin.  
Wash skin thoroughly after handling.  
Handle in accordance with good industrial hygiene and safety practice, based on the results of the workplace exposure assessment  
Non-sparking tools should be used.

# SAFETY DATA SHEET

According to REACH Regulation (EC) No 1907/2006, as amended by  
UK REACH Regulations SI 2019/758



Tork.  
an Essity brand

## Tork Hand Sanitizing Alcohol Foam

Version 1.2	Revision Date: 18.06.2025	SDS Number: 11449176-00003	Date of last issue: 20.01.2025 Date of first issue: 08.10.2024
----------------	------------------------------	-------------------------------	---

Keep container tightly closed.  
Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.  
Take precautionary measures against static discharges.  
Take care to prevent spills, waste and minimize release to the environment.

Hygiene measures : If exposure to chemical is likely during typical use, provide eye flushing systems and safety showers close to the working place. When using do not eat, drink or smoke. Wash contaminated clothing before re-use.

### 7.2 Conditions for safe storage, including any incompatibilities

Requirements for storage areas and containers : Keep in properly labelled containers. Keep tightly closed. Keep in a cool, well-ventilated place. Store in accordance with the particular national regulations. Keep away from heat and sources of ignition.

Advice on common storage : Do not store with the following product types:  
Strong oxidizing agents  
Self-reactive substances and mixtures  
Organic peroxides  
Flammable solids  
Pyrophoric liquids  
Pyrophoric solids  
Self-heating substances and mixtures  
Substances and mixtures, which in contact with water, emit flammable gases  
Explosives  
Gases  
Very acutely toxic substances and mixtures

### 7.3 Specific end use(s)

Specific use(s) : No data available

## SECTION 8: Exposure controls/personal protection

### 8.1 Control parameters

#### Occupational Exposure Limits

Components	CAS-No.	Value type (Form of exposure)	Control parameters	Basis
Ethanol	64-17-5	TWA	1,000 ppm 1,920 mg/m <sup>3</sup>	GB EH40
Propan-2-ol	67-63-0	STEL	500 ppm 1,250 mg/m <sup>3</sup>	GB EH40
		TWA	400 ppm 999 mg/m <sup>3</sup>	GB EH40
Glycerine	56-81-5	TWA (Mist)	10 mg/m <sup>3</sup>	GB EH40
2-Methyl-2,4-	107-41-5	TWA	25 ppm	GB EH40

# SAFETY DATA SHEET

According to REACH Regulation (EC) No 1907/2006, as amended by  
UK REACH Regulations SI 2019/758



Tork.  
an Essity brand

## Tork Hand Sanitizing Alcohol Foam

Version 1.2 Revision Date: 18.06.2025 SDS Number: 11449176-00003 Date of last issue: 20.01.2025  
Date of first issue: 08.10.2024

pentanediol			123 mg/m3	
		STEL	25 ppm 123 mg/m3	GB EH40

### Derived No Effect Level (DNEL)

Substance name	End Use	Exposure routes	Potential health effects	Value
Ethanol	Workers	Inhalation	Long-term systemic effects	380 mg/m3
	Workers	Skin contact	Long-term systemic effects	267 mg/kg bw/day
	Consumers	Inhalation	Long-term systemic effects	114 mg/m3
Propan-2-ol	Workers	Inhalation	Long-term systemic effects	500 mg/m3
	Workers	Skin contact	Long-term systemic effects	888 mg/kg bw/day
	Consumers	Inhalation	Long-term systemic effects	89 mg/m3
Glycerine	Workers	Skin contact	Long-term systemic effects	319 mg/kg bw/day
	Consumers	Ingestion	Long-term systemic effects	26 mg/kg bw/day
	Consumers	Inhalation	Long-term local effects	56 mg/m3
2-Methyl-2,4-pantanediol	Workers	Ingestion	Long-term systemic effects	229 mg/kg bw/day
	Workers	Inhalation	Long-term local effects	33 mg/m3
	Workers	Inhalation	Acute local effects	44.43 mg/m3
	Workers	Skin contact	Long-term local effects	49 mg/m3
	Workers	Inhalation	Long-term systemic effects	98 mg/m3
	Consumers	Inhalation	Long-term local effects	63 mg/kg bw/day
	Consumers	Inhalation	Long-term systemic effects	7.83 mg/m3
	Consumers	Inhalation	Acute local effects	25 mg/m3
	Consumers	Skin contact	Long-term systemic effects	49 mg/m3
	Consumers	Inhalation	Long-term local effects	22.5 mg/kg bw/day
	Consumers	Skin contact	Acute local effects	0.79 mg/l
	Consumers	Ingestion	Long-term systemic effects	2.25 mg/kg bw/day

### Predicted No Effect Concentration (PNEC)

Substance name	Environmental Compartment	Value
Ethanol	Fresh water	0.96 mg/l
	Freshwater - intermittent	2.75 mg/l
	Marine water	0.79 mg/l

# SAFETY DATA SHEET

According to REACH Regulation (EC) No 1907/2006, as amended by  
UK REACH Regulations SI 2019/758



## Tork Hand Sanitizing Alcohol Foam

Version  
1.2

Revision Date:  
18.06.2025

SDS Number:  
11449176-00003

Date of last issue: 20.01.2025  
Date of first issue: 08.10.2024

	Sewage treatment plant	580 mg/l
	Fresh water sediment	3.6 mg/kg dry weight (d.w.)
	Marine sediment	2.9 mg/kg dry weight (d.w.)
	Soil	0.63 mg/kg dry weight (d.w.)
	Oral (Secondary Poisoning)	380 mg/kg food
Propan-2-ol	Fresh water	140.9 mg/l
	Marine water	140.9 mg/l
	Intermittent use/release	140.9 mg/l
	Sewage treatment plant	2251 mg/l
	Fresh water sediment	552 mg/kg dry weight (d.w.)
	Marine sediment	552 mg/kg dry weight (d.w.)
	Soil	28 mg/kg dry weight (d.w.)
	Oral (Secondary Poisoning)	160 mg/kg food
Glycerine	Fresh water	0.885 mg/l
	Marine water	0.0885 mg/l
	Intermittent use/release	8.85 mg/l
	Sewage treatment plant	1000 mg/l
	Fresh water sediment	3.3 mg/kg dry weight (d.w.)
	Marine sediment	0.33 mg/kg dry weight (d.w.)
	Soil	0.141 mg/kg dry weight (d.w.)
2-Methyl-2,4-pentanediol	Fresh water	0.429 mg/l
	Freshwater - intermittent	4.29 mg/l
	Marine water	0.0429 mg/l
	Sewage treatment plant	20 mg/l
	Fresh water sediment	1.59 mg/kg dry weight (d.w.)
	Marine sediment	0.159 mg/kg dry weight (d.w.)
	Soil	0.066 mg/kg dry weight (d.w.)

## 8.2 Exposure controls

### Engineering measures

Minimize workplace exposure concentrations.

If sufficient ventilation is unavailable, use with local exhaust ventilation.

Use explosion-proof electrical, ventilating and lighting equipment.

### Personal protective equipment

Eye/face protection : Wear the following personal protective equipment:  
Safety goggles  
Equipment should conform to BS EN 166

Hand protection

# SAFETY DATA SHEET

According to REACH Regulation (EC) No 1907/2006, as amended by  
UK REACH Regulations SI 2019/758



Tork.  
an Essity brand

## Tork Hand Sanitizing Alcohol Foam

Version 1.2      Revision Date: 18.06.2025      SDS Number: 11449176-00003      Date of last issue: 20.01.2025  
Date of first issue: 08.10.2024

---

Remarks	: not required
Skin and body protection	: Select appropriate protective clothing based on chemical resistance data and an assessment of the local exposure potential. Wear the following personal protective equipment: If assessment demonstrates that there is a risk of explosive atmospheres or flash fires, use flame retardant antistatic protective clothing. Skin contact must be avoided by using impervious protective clothing (gloves, aprons, boots, etc).
Respiratory protection	: If adequate local exhaust ventilation is not available or exposure assessment demonstrates exposures outside the recommended guidelines, use respiratory protection. Filter should conform to BS EN 14387
Filter type	: Organic vapour type (A)

---

## SECTION 9: Physical and chemical properties

### 9.1 Information on basic physical and chemical properties

Appearance	: liquid
Colour	: colourless
Odour	: alcohol-like
Odour Threshold	: No data available
pH	: 5.25 (20 °C) Concentration: 100 %
Melting point/freezing point	: No data available
Initial boiling point and boiling range	: No data available
Flash point	: 21 °C Method: ISO 3679, closed cup
Evaporation rate	: No data available
Flammability (solid, gas)	: Not applicable
Flammability (liquids)	: Ignitable (see flash point)
Upper explosion limit / Upper flammability limit	: No data available

# SAFETY DATA SHEET

According to REACH Regulation (EC) No 1907/2006, as amended by  
UK REACH Regulations SI 2019/758



## Tork Hand Sanitizing Alcohol Foam

Version 1.2	Revision Date: 18.06.2025	SDS Number: 11449176-00003	Date of last issue: 20.01.2025 Date of first issue: 08.10.2024
----------------	------------------------------	-------------------------------	---

---

Lower explosion limit / Lower flammability limit : No data available

Vapour pressure : No data available

Relative vapour density : No data available

Density : 0.85 g/cm<sup>3</sup> (20 °C)

Solubility(ies)  
Water solubility : soluble

Partition coefficient: n-octanol/water : Not applicable

Auto-ignition temperature : No data available

Decomposition temperature : No data available

Viscosity  
Viscosity, kinematic : No data available

Explosive properties : Not explosive

Oxidizing properties : The substance or mixture is not classified as oxidizing.

### 9.2 Other information

Particle size : Not applicable

---

## SECTION 10: Stability and reactivity

### 10.1 Reactivity

Not classified as a reactivity hazard.

### 10.2 Chemical stability

Stable under normal conditions.

### 10.3 Possibility of hazardous reactions

Hazardous reactions : Highly flammable liquid and vapour.  
Vapours may form explosive mixture with air.  
Can react with strong oxidizing agents.

### 10.4 Conditions to avoid

Conditions to avoid : Heat, flames and sparks.

### 10.5 Incompatible materials

Materials to avoid : Oxidizing agents

# SAFETY DATA SHEET

According to REACH Regulation (EC) No 1907/2006, as amended by  
UK REACH Regulations SI 2019/758



## Tork Hand Sanitizing Alcohol Foam

Version  
1.2

Revision Date:  
18.06.2025

SDS Number:  
11449176-00003

Date of last issue: 20.01.2025  
Date of first issue: 08.10.2024

### 10.6 Hazardous decomposition products

No hazardous decomposition products are known.

## SECTION 11: Toxicological information

### 11.1 Information on toxicological effects

Information on likely routes of exposure : Inhalation  
Skin contact  
Ingestion  
Eye contact

#### Acute toxicity

Not classified based on available information.

#### Components:

##### **Ethanol:**

Acute oral toxicity : LD50 (Rat): 10,470 mg/kg  
Method: OECD Test Guideline 401

Acute inhalation toxicity : LC50 (Rat, male): 116.9 mg/l  
Exposure time: 4 h  
Test atmosphere: vapour

Acute dermal toxicity : LD50 (Rabbit): > 15,800 mg/kg

##### **Propan-2-ol:**

Acute oral toxicity : LD50 (Rat): > 5,000 mg/kg

Acute inhalation toxicity : LC50 (Rat): > 25 mg/l  
Exposure time: 6 h  
Test atmosphere: vapour

Acute dermal toxicity : LD50 (Rabbit): > 5,000 mg/kg

##### **2-Methyl-2,4-pentanediol:**

Acute oral toxicity : LD50 (Rat): > 2,000 mg/kg  
Method: OECD Test Guideline 420

Acute dermal toxicity : LD50 (Rat): > 2,000 mg/kg  
Method: OECD Test Guideline 402  
Assessment: The substance or mixture has no acute dermal toxicity

##### **Glycerine:**

Acute oral toxicity : LD50 (Rat): > 5,000 mg/kg

Acute dermal toxicity : LD50 (Guinea pig): > 5,000 mg/kg

# SAFETY DATA SHEET

According to REACH Regulation (EC) No 1907/2006, as amended by  
UK REACH Regulations SI 2019/758



Tork.  
an Essity brand

## Tork Hand Sanitizing Alcohol Foam

Version 1.2 Revision Date: 18.06.2025 SDS Number: 11449176-00003 Date of last issue: 20.01.2025  
Date of first issue: 08.10.2024

---

### **Skin corrosion/irritation**

Not classified based on available information.

#### **Components:**

##### **Ethanol:**

Species : Rabbit  
Method : OECD Test Guideline 404  
Result : No skin irritation

##### **Propan-2-ol:**

Species : Rabbit  
Result : No skin irritation

##### **2-Methyl-2,4-pentanediol:**

Result : Skin irritation  
Remarks : Based on national or regional regulation.

##### **Glycerine:**

Species : Rabbit  
Result : No skin irritation

### **Serious eye damage/eye irritation**

Causes serious eye irritation.

#### **Components:**

##### **Ethanol:**

Species : Rabbit  
Method : OECD Test Guideline 405  
Result : Irritation to eyes, reversing within 21 days

##### **Propan-2-ol:**

Species : Rabbit  
Result : Irritation to eyes, reversing within 21 days

##### **2-Methyl-2,4-pentanediol:**

Result : Irritation to eyes, reversing within 21 days  
Remarks : Based on national or regional regulation.

##### **Glycerine:**

Species : Rabbit  
Result : No eye irritation

### **Respiratory or skin sensitisation**

#### **Skin sensitisation**

Not classified based on available information.

# SAFETY DATA SHEET

According to REACH Regulation (EC) No 1907/2006, as amended by  
UK REACH Regulations SI 2019/758



## Tork Hand Sanitizing Alcohol Foam

Version  
1.2

Revision Date:  
18.06.2025

SDS Number:  
11449176-00003

Date of last issue: 20.01.2025  
Date of first issue: 08.10.2024

---

### Respiratory sensitisation

Not classified based on available information.

### Components:

#### **Ethanol:**

Test Type : Mouse ear swelling test (MEST)  
Exposure routes : Skin contact  
Species : Mouse  
Result : negative

#### **Propan-2-ol:**

Test Type : Buehler Test  
Exposure routes : Skin contact  
Species : Guinea pig  
Method : OECD Test Guideline 406  
Result : negative

#### **2-Methyl-2,4-pentanediol:**

Test Type : Maximisation Test  
Exposure routes : Skin contact  
Species : Guinea pig  
Method : OECD Test Guideline 406  
Result : negative

### **Germ cell mutagenicity**

Not classified based on available information.

### Components:

#### **Ethanol:**

Genotoxicity in vitro : Test Type: Bacterial reverse mutation assay (AMES)  
Method: OECD Test Guideline 471  
Result: negative

Test Type: In vitro mammalian cell gene mutation test  
Method: OECD Test Guideline 476  
Result: negative

Test Type: Chromosome aberration test in vitro  
Result: negative

Genotoxicity in vivo : Test Type: Mammalian erythrocyte micronucleus test (in vivo cytogenetic assay)  
Species: Rat  
Application Route: Ingestion  
Result: negative

#### **Propan-2-ol:**

Genotoxicity in vitro : Test Type: Bacterial reverse mutation assay (AMES)

# SAFETY DATA SHEET

According to REACH Regulation (EC) No 1907/2006, as amended by  
UK REACH Regulations SI 2019/758



Tork.  
an Essity brand

## Tork Hand Sanitizing Alcohol Foam

Version 1.2	Revision Date: 18.06.2025	SDS Number: 11449176-00003	Date of last issue: 20.01.2025 Date of first issue: 08.10.2024
----------------	------------------------------	-------------------------------	---

Result: negative

Test Type: In vitro mammalian cell gene mutation test  
Result: negative

Genotoxicity in vivo : Test Type: Mammalian erythrocyte micronucleus test (in vivo cytogenetic assay)  
Species: Mouse  
Application Route: Intraperitoneal injection  
Result: negative

### 2-Methyl-2,4-pentanediol:

Genotoxicity in vitro : Test Type: Bacterial reverse mutation assay (AMES)  
Result: negative

Test Type: In vitro mammalian cell gene mutation test  
Method: OECD Test Guideline 476  
Result: negative

Test Type: Chromosome aberration test in vitro  
Result: negative

### Glycerine:

Genotoxicity in vitro : Test Type: In vitro mammalian cell gene mutation test  
Result: negative

Test Type: Bacterial reverse mutation assay (AMES)  
Result: negative

Test Type: Chromosome aberration test in vitro  
Result: negative

Test Type: DNA damage and repair, unscheduled DNA synthesis in mammalian cells (in vitro)  
Result: negative

### Carcinogenicity

Not classified based on available information.

### Components:

#### Propan-2-ol:

Species : Rat  
Application Route : inhalation (vapour)  
Exposure time : 104 weeks  
Method : OECD Test Guideline 451  
Result : negative

#### Glycerine:

Species : Rat

# SAFETY DATA SHEET

According to REACH Regulation (EC) No 1907/2006, as amended by  
UK REACH Regulations SI 2019/758



Tork.  
an Essity brand

## Tork Hand Sanitizing Alcohol Foam

Version 1.2	Revision Date: 18.06.2025	SDS Number: 11449176-00003	Date of last issue: 20.01.2025 Date of first issue: 08.10.2024
----------------	------------------------------	-------------------------------	---

Application Route : Ingestion  
Exposure time : 2 Years  
Result : negative

### Reproductive toxicity

Not classified based on available information.

#### Components:

##### **Ethanol:**

Effects on fertility : Test Type: Two-generation reproduction toxicity study  
Species: Mouse  
Application Route: Ingestion  
Result: negative

##### **Propan-2-ol:**

Effects on fertility : Test Type: Two-generation reproduction toxicity study  
Species: Rat  
Application Route: Ingestion  
Result: negative

Effects on foetal development : Test Type: Embryo-foetal development  
Species: Rat  
Application Route: Ingestion  
Result: negative

##### **2-Methyl-2,4-pentanediol:**

Effects on fertility : Test Type: One-generation reproduction toxicity study  
Species: Rat  
Application Route: Ingestion  
Method: OECD Test Guideline 443  
Result: negative

Effects on foetal development : Test Type: One-generation reproduction toxicity study  
Species: Rat  
Application Route: Ingestion  
Method: OECD Test Guideline 443  
Result: positive

Reproductive toxicity - Assessment : Some evidence of adverse effects on development, based on animal experiments.

##### **Glycerine:**

Effects on fertility : Test Type: Two-generation reproduction toxicity study  
Species: Rat  
Application Route: Ingestion  
Result: negative

Effects on foetal development : Test Type: Embryo-foetal development  
Species: Rat

# SAFETY DATA SHEET

According to REACH Regulation (EC) No 1907/2006, as amended by  
UK REACH Regulations SI 2019/758



## Tork Hand Sanitizing Alcohol Foam

Version  
1.2

Revision Date:  
18.06.2025

SDS Number:  
11449176-00003

Date of last issue: 20.01.2025  
Date of first issue: 08.10.2024

---

Application Route: Ingestion  
Result: negative

### STOT - single exposure

Not classified based on available information.

#### Components:

##### **Propan-2-ol:**

Assessment : May cause drowsiness or dizziness.

### STOT - repeated exposure

Not classified based on available information.

#### **Repeated dose toxicity**

#### Components:

##### **Ethanol:**

Species	:	Rat
NOAEL	:	1,730 mg/kg
LOAEL	:	3,200 mg/kg
Application Route	:	Ingestion
Exposure time	:	90 Days

##### **Propan-2-ol:**

Species	:	Rat
NOAEL	:	12.5 mg/l
Application Route	:	inhalation (vapour)
Exposure time	:	104 Weeks

##### **2-Methyl-2,4-pentanediol:**

Species	:	Rat
NOAEL	:	>= 450 mg/kg
Application Route	:	Ingestion
Exposure time	:	13 Weeks
Method	:	OECD Test Guideline 408

##### **Glycerine:**

Species	:	Rat
NOAEL	:	0.167 mg/l
LOAEL	:	0.622 mg/l
Application Route	:	inhalation (dust/mist/fume)
Exposure time	:	13 Weeks
Species	:	Rat
NOAEL	:	8,000 - 10,000 mg/kg
Application Route	:	Ingestion
Exposure time	:	2 yr

# SAFETY DATA SHEET

According to REACH Regulation (EC) No 1907/2006, as amended by  
UK REACH Regulations SI 2019/758



## Tork Hand Sanitizing Alcohol Foam

Version 1.2      Revision Date: 18.06.2025      SDS Number: 11449176-00003      Date of last issue: 20.01.2025  
Date of first issue: 08.10.2024

---

Species : Rabbit  
NOAEL : 5,040 mg/kg  
Application Route : Skin contact  
Exposure time : 45 Weeks

### Aspiration toxicity

Not classified based on available information.

### Experience with human exposure

#### Components:

##### **2-Methyl-2,4-pentanediol:**

Eye contact : Target Organs: Eyes  
Symptoms: Irritation

---

## SECTION 12: Ecological information

### 12.1 Toxicity

#### Components:

##### **Ethanol:**

Toxicity to fish : LC50 (Pimephales promelas (fathead minnow)): 14,200 mg/l  
Exposure time: 96 h

Toxicity to daphnia and other aquatic invertebrates : EC50 (Ceriodaphnia dubia (water flea)): 5,012 mg/l  
Exposure time: 48 h

Toxicity to algae/aquatic plants : ErC50 (Chlorella vulgaris (Fresh water algae)): 275 mg/l  
Exposure time: 72 h

EC10 (Chlorella vulgaris (Fresh water algae)): 11.5 mg/l  
Exposure time: 72 h

Toxicity to microorganisms : EC50 (Protozoa): 5,800 mg/l  
Exposure time: 4 h

Toxicity to fish (Chronic toxicity) : NOEC: >= 79 mg/l  
Exposure time: 100 d  
Species: Oryzias latipes (Japanese medaka)

Toxicity to daphnia and other aquatic invertebrates (Chronic toxicity) : NOEC: 9.6 mg/l  
Exposure time: 9 d  
Species: Daphnia magna (Water flea)

##### **Propan-2-ol:**

Toxicity to fish : LC50 (Pimephales promelas (fathead minnow)): 9,640 mg/l  
Exposure time: 96 h

# SAFETY DATA SHEET

According to REACH Regulation (EC) No 1907/2006, as amended by  
UK REACH Regulations SI 2019/758



## Tork Hand Sanitizing Alcohol Foam

Version 1.2	Revision Date: 18.06.2025	SDS Number: 11449176-00003	Date of last issue: 20.01.2025 Date of first issue: 08.10.2024
----------------	------------------------------	-------------------------------	---

Toxicity to daphnia and other aquatic invertebrates : EC50 (Daphnia magna (Water flea)): > 10,000 mg/l  
Exposure time: 24 h

Toxicity to microorganisms : EC50 (Pseudomonas putida): > 1,050 mg/l  
Exposure time: 16 h

### 2-Methyl-2,4-pentanediol:

Toxicity to fish : LC50 (Gambusia affinis (Mosquito fish)): 8,510 mg/l  
Exposure time: 96 h

Toxicity to daphnia and other aquatic invertebrates : EC50 (Ceriodaphnia dubia (water flea)): 2,800 mg/l  
Exposure time: 48 h

Toxicity to algae/aquatic plants : ErC50 (Raphidocelis subcapitata (freshwater green alga)): > 429 mg/l  
Exposure time: 72 h  
Method: OECD Test Guideline 201

EC10 (Raphidocelis subcapitata (freshwater green alga)): > 429 mg/l  
Exposure time: 72 h  
Method: OECD Test Guideline 201

Toxicity to microorganisms : NOEC (Bacteria): 200 mg/l  
Exposure time: 10 d

Toxicity to daphnia and other aquatic invertebrates (Chronic toxicity) : NOEC: 25 mg/l  
Exposure time: 21 d  
Species: Daphnia magna (Water flea)  
Method: OECD Test Guideline 211

### Glycerine:

Toxicity to fish : LC50 (Oncorhynchus mykiss (rainbow trout)): 54,000 mg/l  
Exposure time: 96 h

Toxicity to daphnia and other aquatic invertebrates : EC50 (Daphnia magna (Water flea)): 1,955 mg/l  
Exposure time: 48 h

Toxicity to microorganisms : NOEC (Pseudomonas putida): > 10,000 mg/l  
Exposure time: 16 h  
Method: DIN 38 412 Part 8

## 12.2 Persistence and degradability

### Components:

#### **Ethanol:**

Biodegradability : Result: Readily biodegradable.  
Biodegradation: 84 %  
Exposure time: 20 d

# SAFETY DATA SHEET

According to REACH Regulation (EC) No 1907/2006, as amended by  
UK REACH Regulations SI 2019/758



## Tork Hand Sanitizing Alcohol Foam

Version 1.2	Revision Date: 18.06.2025	SDS Number: 11449176-00003	Date of last issue: 20.01.2025 Date of first issue: 08.10.2024
----------------	------------------------------	-------------------------------	---

---

### Propan-2-ol:

Biodegradability : Result: rapidly degradable  
BOD/COD : BOD: 1,19 (BOD5)  
COD: 2,23  
BOD/COD: 53 %

### 2-Methyl-2,4-pentanediol:

Biodegradability : Result: Readily biodegradable.  
Biodegradation: 81 %  
Exposure time: 28 d  
Method: OECD Test Guideline 301F

### Glycerine:

Biodegradability : Result: Readily biodegradable.  
Biodegradation: 92 %  
Exposure time: 30 d  
Method: OECD Test Guideline 301D

## 12.3 Bioaccumulative potential

### Components:

#### Ethanol:

Partition coefficient: n-octanol/water : log Pow: -0.35

#### Propan-2-ol:

Partition coefficient: n-octanol/water : log Pow: 0.05

#### 2-Methyl-2,4-pentanediol:

Partition coefficient: n-octanol/water : log Pow: < 4  
Remarks: Calculation

#### Glycerine:

Partition coefficient: n-octanol/water : log Pow: -1.75

## 12.4 Mobility in soil

### Components:

#### Ethanol:

Distribution among environmental compartments : log Koc: 0.2

# SAFETY DATA SHEET

According to REACH Regulation (EC) No 1907/2006, as amended by  
UK REACH Regulations SI 2019/758



## Tork Hand Sanitizing Alcohol Foam

Version  
1.2

Revision Date:  
18.06.2025

SDS Number:  
11449176-00003

Date of last issue: 20.01.2025  
Date of first issue: 08.10.2024

---

### 12.5 Results of PBT and vPvB assessment

#### Product:

Assessment

: This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher.

### 12.6 Other adverse effects

#### Product:

Endocrine disrupting potential

: This substance/mixture does not contain components considered to have endocrine disrupting properties for environment according to UK REACH Article 57(f).

---

## SECTION 13: Disposal considerations

### 13.1 Waste treatment methods

Product

: Dispose of in accordance with local regulations. According to the European Waste Catalogue, Waste Codes are not product specific, but application specific. Waste codes should be assigned by the user, preferably in discussion with the waste disposal authorities. Do not dispose of waste into sewer.

Contaminated packaging

: Empty containers should be taken to an approved waste handling site for recycling or disposal. Empty containers retain residue and can be dangerous. Do not pressurize, cut, weld, braze, solder, drill, grind, or expose such containers to heat, flame, sparks, or other sources of ignition. They may explode and cause injury and/or death. If not otherwise specified: Dispose of as unused product.

Waste Code

: The following Waste Codes are only suggestions:

used product

07 06 04\*, other organic solvents, washing liquids and mother liquors

unused product

07 06 04\*, other organic solvents, washing liquids and mother liquors

uncleaned packagings

15 01 10\*, packaging containing residues of or contaminated by hazardous substances

# SAFETY DATA SHEET

According to REACH Regulation (EC) No 1907/2006, as amended by  
UK REACH Regulations SI 2019/758



## Tork Hand Sanitizing Alcohol Foam

Version 1.2	Revision Date: 18.06.2025	SDS Number: 11449176-00003	Date of last issue: 20.01.2025 Date of first issue: 08.10.2024
----------------	------------------------------	-------------------------------	---

---

### SECTION 14: Transport information

#### 14.1 UN number

<b>ADN</b>	:	UN 1987
<b>ADR</b>	:	UN 1987
<b>RID</b>	:	UN 1987
<b>IMDG</b>	:	UN 1987
<b>IATA</b>	:	UN 1987

#### 14.2 UN proper shipping name

<b>ADN</b>	:	ALCOHOLS, N.O.S. (Ethanol, Propan-2-ol)
<b>ADR</b>	:	ALCOHOLS, N.O.S. (Ethanol, Propan-2-ol)
<b>RID</b>	:	ALCOHOLS, N.O.S. (Ethanol, Propan-2-ol)
<b>IMDG</b>	:	ALCOHOLS, N.O.S. (Ethanol, Propan-2-ol)
<b>IATA</b>	:	Alcohols, n.o.s. (Ethanol, Propan-2-ol)

#### 14.3 Transport hazard class(es)

	Class	Subsidiary risks
<b>ADN</b>	:	3
<b>ADR</b>	:	3
<b>RID</b>	:	3
<b>IMDG</b>	:	3
<b>IATA</b>	:	3

#### 14.4 Packing group

<b>ADN</b>		
Packing group	:	II
Classification Code	:	F1
Hazard Identification Number	:	33
Labels	:	3
<b>ADR</b>		
Packing group	:	II
Classification Code	:	F1
Hazard Identification Number	:	33
Labels	:	3
Tunnel restriction code	:	(D/E)
<b>RID</b>		
Packing group	:	II

# SAFETY DATA SHEET

According to REACH Regulation (EC) No 1907/2006, as amended by  
UK REACH Regulations SI 2019/758



Tork.  
an Essity brand

## Tork Hand Sanitizing Alcohol Foam

Version 1.2 Revision Date: 18.06.2025 SDS Number: 11449176-00003 Date of last issue: 20.01.2025  
Date of first issue: 08.10.2024

---

**Classification Code** : F1  
**Hazard Identification Number** : 33  
**Labels** : 3

### IMDG

**Packing group** : II  
**Labels** : 3  
**EmS Code** : F-E, S-D

### IATA (Cargo)

**Packing instruction (cargo aircraft)** : 364  
**Packing instruction (LQ)** : Y341  
**Packing group** : II  
**Labels** : Flammable Liquids

### IATA (Passenger)

**Packing instruction (passenger aircraft)** : 353  
**Packing instruction (LQ)** : Y341  
**Packing group** : II  
**Labels** : Flammable Liquids

## 14.5 Environmental hazards

### ADN

**Environmentally hazardous** : no

### ADR

**Environmentally hazardous** : no

### RID

**Environmentally hazardous** : no

### IMDG

**Marine pollutant** : no

## 14.6 Special precautions for user

The transport classification(s) provided herein are for informational purposes only, and solely based upon the properties of the unpackaged material as it is described within this Safety Data Sheet. Transportation classifications may vary by mode of transportation, package sizes, and variations in regional or country regulations.

## 14.7 Transport in bulk according to Annex II of Marpol and the IBC Code

**Remarks** : Not applicable for product as supplied.

---

## SECTION 15: Regulatory information

### 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

Relevant EU provisions transposed through retained EU law

**UK REACH List of restrictions (Annex 17)** : Conditions of restriction for the following entries should be considered: Number on list 3

# SAFETY DATA SHEET

According to REACH Regulation (EC) No 1907/2006, as amended by  
UK REACH Regulations SI 2019/758



Tork.  
an Essity brand

## Tork Hand Sanitizing Alcohol Foam

Version  
1.2

Revision Date:  
18.06.2025

SDS Number:  
11449176-00003

Date of last issue: 20.01.2025  
Date of first issue: 08.10.2024

Substance(s) or mixture(s) are listed here according to their appearance in the regulation, irrespective of their use/purpose or the conditions of the restriction. Please refer to the conditions in corresponding Regulation to determine whether an entry is applicable to the placing on the market or not.

UK REACH Candidate list of substances of very high concern (SVHC) for Authorisation : Not applicable

The Persistent Organic Pollutants Regulations (retained Regulation (EU) 2019/1021 as amended for Great Britain) : Not applicable

Regulation (EU) No 2024/590 on substances that deplete the ozone layer : Not applicable

UK REACH List of substances subject to authorisation (Annex XIV) : Not applicable

GB Export and import of hazardous chemicals - Prior Informed Consent (PIC) Regulation : Not applicable

Regulation (EU) No 528/2012 of the European Parliament and of the Council of 22 May 2012 concerning the making available on the market and use of biocidal products  
Supplemental information : Refer to the label and/or leaflet.

Product Type : Human hygiene

Active substance : 651 g/kg  
Ethanol

100 g/kg  
Propan-2-ol

Control of Major Accident Hazards Regulations 2015 (COMAH)

		Quantity 1	Quantity 2
P5c	FLAMMABLE LIQUIDS	5,000 t	50,000 t

Volatile organic compounds : Directive 2010/75/EU of 24 November 2010 on industrial and livestock rearing emissions (integrated pollution prevention and control)  
Volatile organic compounds (VOC) content: 76.09 %

### Other regulations:

Take note of The Management of Health and Safety at Work Regulations 1999 (requirements relating to new and expectant mothers at work contained in Regulation 16 to 18) and of the Pregnant Workers Directive 92/85/EEC.

# SAFETY DATA SHEET

According to REACH Regulation (EC) No 1907/2006, as amended by  
UK REACH Regulations SI 2019/758



Tork.  
an Essity brand

## Tork Hand Sanitizing Alcohol Foam

Version  
1.2

Revision Date:  
18.06.2025

SDS Number:  
11449176-00003

Date of last issue: 20.01.2025  
Date of first issue: 08.10.2024

Take note of The Management of Health and Safety at Work Regulations 1999 (requirements relating to protection of young people at work contained in Regulation 19) and of Directive 94/33/EC on the protection of young people at work.

### 15.2 Chemical safety assessment

A Chemical Safety Assessment has not been carried out.

## SECTION 16: Other information

Other information : Items where changes have been made to the previous version are highlighted in the body of this document by two vertical lines.

### Full text of H-Statements

H225 : Highly flammable liquid and vapour.  
H315 : Causes skin irritation.  
H319 : Causes serious eye irritation.  
H336 : May cause drowsiness or dizziness.  
H361d : Suspected of damaging the unborn child.

### Full text of other abbreviations

Eye Irrit. : Eye irritation  
Flam. Liq. : Flammable liquids  
Repr. : Reproductive toxicity  
Skin Irrit. : Skin irritation  
STOT SE : Specific target organ toxicity - single exposure  
GB EH40 : UK. EH40 WEL - Workplace Exposure Limits  
GB EH40 / TWA : Long-term exposure limit (8-hour TWA reference period)  
GB EH40 / STEL : Short-term exposure limit (15-minute reference period)

ADN - European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways; ADR - Agreement concerning the International Carriage of Dangerous Goods by Road; AIIC - Australian Inventory of Industrial Chemicals; ASTM - American Society for the Testing of Materials; bw - Body weight; CLP - Classification Labelling Packaging Regulation; Regulation (EC) No 1272/2008; CMR - Carcinogen, Mutagen or Reproductive Toxicant; DIN - Standard of the German Institute for Standardisation; DSL - Domestic Substances List (Canada); ECHA - European Chemicals Agency; EC-Number - European Community number; ECx - Concentration associated with x% response; ELx - Loading rate associated with x% response; EmS - Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx - Concentration associated with x% growth rate response; GHS - Globally Harmonized System; GLP - Good Laboratory Practice; IARC - International Agency for Research on Cancer; IATA - International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO - International Maritime Organization; ISHL - Industrial Safety and Health Law (Japan); ISO - International Organisation for Standardization; KECI - Korea Existing Chemicals Inventory; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; n.o.s. - Not Otherwise Specified; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NZIoC - New Zealand Inventory of Chemicals; OECD - Organization for Economic Co-operation and Development; OPPTS - Office

# SAFETY DATA SHEET

According to REACH Regulation (EC) No 1907/2006, as amended by  
UK REACH Regulations SI 2019/758



## Tork Hand Sanitizing Alcohol Foam

Version  
1.2

Revision Date:  
18.06.2025

SDS Number:  
11449176-00003

Date of last issue: 20.01.2025  
Date of first issue: 08.10.2024

of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; RID - Regulations concerning the International Carriage of Dangerous Goods by Rail; SADT - Self-Accelerating Decomposition Temperature; SDS - Safety Data Sheet; SVHC - Substance of very high concern; TCSI - Taiwan Chemical Substance Inventory; TECI - Thailand Existing Chemicals Inventory; TSCA - Toxic Substances Control Act (United States); UN - United Nations; UNRTDG - United Nations Recommendations on the Transport of Dangerous Goods; vPvB - Very Persistent and Very Bioaccumulative

### Further information

Sources of key data used to compile the Safety Data Sheet : Internal technical data, data from raw material SDSs, OECD eChem Portal search results and European Chemicals Agency, <http://echa.europa.eu/>

### Classification of the mixture:

Flam. Liq. 2 H225  
Eye Irrit. 2 H319

### Classification procedure:

Based on product data or assessment  
Calculation method

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and shall not be considered a warranty or quality specification of any type. The information provided relates only to the specific material identified at the top of this SDS and may not be valid when the SDS material is used in combination with any other materials or in any process, unless specified in the text. Material users should review the information and recommendations in the specific context of their intended manner of handling, use, processing and storage, including an assessment of the appropriateness of the SDS material in the user's end product, if applicable.

GB / EN