

Safety Data Sheet

WHMIS 2015

Section 1: Company and Product Identification

1.1. Product Identification:

Product Name: HAND-GEL

Application: SURFACE DISINFECTANT

1.2. Product use(s) and applications advised against:

Product use(s): ALCOHOL HAND GEL/RUB

Applications advised against:

1.3. Details of the Supplier of the Safety Data Sheet

Company: MediPro™ Medical Products Ltd,

85 Great Portland Street,

London W1W 7LT

Emergency Response:

111

Section 2: Hazards Identification

2.1 Classification of the Substance or Mixture

Hazard Category: Flammable Liq Cat 2

Serious eye damage/eye irritation Cat 2

Specific target organ tox, single exp. Cat 3 (narcotic effects)

2.2 GHS Label Elements

Signal Word: Danger

Hazard Pictograms:



Hazard Statements: H225: Highly flammable liquid and vapour

H319: Causes serious eye irritation H336: May cause drowsiness or dizziness

Precautionary P210: Keep away from heat/sparks/open flames/hot surfaces – No smoking Statements: P264: Wash thoroughly after handling

P280: Wear protective gloves/protective clothing/eye protection/face protection

P303+361+353: IF ON SKIN (or hair): Remove/Take off immediately all

contaminated clothing. Rinse skin with water/shower

P337+313: If eye irritation persists get medical advice/attention

2.3 Other Hazards Not applicable, none known.

Section 3: Composition / Information on Ingredients

3.1 Hazardous Components

	646#	144 - 1 - 1 - 1 - 07
Hazardous substance (name)	CAS#	Weight %

Ethyl Alcohol	64-17-5	68-72
denatonium benzoate (bitrex)	3734-33-6	0.1

3.2 Other Information

No further information.

Section 4: First Aid Measures

4.1 Description of First Aid Measures

General Info: Product may give off vapors in affecting the inhalation route. Ensure proper

ventilation during application / curing. Seek medical treatment if any excessive

exposures result in symptoms.

If ingested: Rinse mouth. Seek medical attention if symptoms develop. Do not induce vomiting.

If inhaled: Remove to fresh air. Obtain medical attention if respiratory symptoms or other

symptoms develop. Inhalation may result in asthmatic symptoms or respiratory

sensitization - monitor closely for symptoms of tightness in chest.

Eye contact: Flush eyes with plenty of water for at least 15 minutes. Remove contact lenses if

present and easy to do. Get medical attention if irritation develops or persists.

Rinse with soap and water thoroughly. Get medical advice if irritation develops or Skin contact:

persists. A PEG-400 oil, or corn oil may be an effective skin cleanser.

4.2 Most Important Symptoms and Effects, Acute and

Delayed

Notable Exposure An allergic or asthmatic response (sensitzation reaction), may occur in some exposed symptoms:

individuals. If these symptoms occur, seek medical attention immediately.

Section 5: Fire Fighting Measures

5.1 Extinguishing Media Carbon dioxide (CO2), dry chemical, alcohol-resistant foam.

5.2 Special Hazards Arising

from Mixture

Direct fire hazard, highly flammable, gas.vapour flammable with air. Indirect fire

hazard

5.3 Advice for Firefighters /

Protective equipment

Firefighters should wear self-contained breathing apparatus (SCBA) and full

protective equipment. Direct water spray may spread fire.

Section 6: Accidental Release Measures

6.1 Personal precautions, protective equipment and procedures:

Clean/wipe up mechanically, manually. Wear appropriate protective equipment and clothing during clean-up operations. Avoid breathing vapors. Ventilate area if easy to

6.2 Environmental **Precautions:**

Prevent soil and water pollution

Containment and Cleanup

6.3 Methods and Materials for Absord with a suitable non combustable material

6.4 References to Other

Sections

For personal protection, see section 8 of the SDS. For disposal information, Section

13.

Section 7: Handling and Storage

7.1 Precautions for Safe Handling

adequate ventilation. Avoid breathing vapors. Avoid contact with eyes, skin, and clothing. Avoid prolonged exposure. Wear appropriate personal protective equipment.

Section 10.

Section 8: Exposure Control / Personal Protection

8.1 Components with **Exposure Control**

Substances with Exposure Limits	CAS#	ACGIH- TWA	STEL
Ethanol	64-17-5	1000ppm	1000ppm

8.2 Exposure Controls

Engineering Ensure proper ventilation in enclosed spaces.

Controls:

Work Clothing: Protective work clothing which covers skin and prevents exposures.

Eye/face Safety glasses.

Skin Protection: Wear chemical resistant gloves.

Respiratory Utilize organic vapor respirator if airborne levels are not maintained below exposure limits, or

Protection: if ventilation is inadequate.

Environmental No special considerations. Avoid release of material to surface waters.

Exposure

Additional Observe good chemical hygiene practices. Do not smoke or eat while using this product.

Information: Wash hands or exposed skin after using the product. Cutting or grinding of the product may

release substances which require monitoring (see chart above).

Section 9: Physical and Chemical Properties

9.1 Physical/Chemical

Properties	
Appearance	Clear, Colourless
Physical State	Liquid
Odour	Alcohol
Odour Threshold	N/A
рН	6.8-7.2
Melting Point	(-) 114degC
Softening Point	N/A
Boiling Point	78 DegC
Flash Point	Alcohol
Evaporation Rate	N/A
Flammability	flammable
Explosion Limit	(-) 114degC
Vapour Limit	N/A
Vapour Density	N/A
Vapour Pressure	N/A
Specific Gravity	0.785 g/cm3
Bulk Density	N/A
Water Solubility	Miscible
Solubility	N/A
on-Coefficent Component	

Partition

Ethyl Alcohol (-) 0.32**Auto-ignition Temperature** 363 DegC **Decomposition Temperature** N/A Viscosity N/A **Explosive Properties** N/A Oxidizing Properties N/A

Stability and Reactivity

10.1 Reactivity On heating release of toxic/corrosive/combustitble gases/vapours. Upon combustion co and

co2 formed. Ciolent to explosive reaction with some metal powders and with strong oxisders.

10.2 Chemical Stability Hygroscopic

10.3 Possibility of No additional information available

10.4 Conditions to Avoid extreme temperatures, flame, oxidizers, and acids / bases.

10.5 Incompatible

Materials

Strong oxidisers, strong acids/bases.

10.6 Hazardous Carbon monoxide, carbon dioxide

Section 11 Toxicological Information

11.1 Information on Toxicological Effects

General Product has not been tested. Potentially irritating or sensitizing to respiratory system.

Information:

Acute Toxicity Not tested. Not expected to pose an acute oral toxicity hazard.

(Oral):

Acute Toxicity Skin contact is not expected to pose a dermal toxicity hazard.

(Dermal):

Acute Toxicity No further information.

(Inhalation):

Skin Corrosion / Skin irritant

Irritation:

Eye Corrosion / Eye / mucous membrane irritant.

Irritation:

Sensitization: Respiratory and skin sensitization reactions possible.

Carcinogenicity / Product contains ingredients which are suspect carcinogens. Diphenylmethane 4,4'-

Mutagenicity: diisocyanate, and analagous materials have been suspected of causing carcinogenic effects in

laboratory animal (GHS Cat 2).

Section 12 Ecological Information

12.1 Toxicity Product has not been tested. Product is not expected to have significant deleterious effects

12.2 Persistence and No specific data available. Product is not expected to rapidly degrade.

12.3 Bioaccumulation No specific data available. Product is not expected to bioaccumulate in biological tissue.

12.4 Mobility in Soil No further information available.

12.6 Other information No further information available.

Section 1: Disposal Information

13.1 Waste Treatment

Product disposal: Dispose of product in accordance with local, regional, and national regulations. Consult with **Container** Packaging of product may contain small amounts of residual product which can be discarded.

disposal:

Other No further information.

considerations:

Section 14: Transport Information

UN: 1170

CLASS 3

PACKING GROUP II

PROPER SHIPPING Ethanol NAME:

OTHER:

Section 15: Regulatory Information

TSCA: All components listed on the TSCA 8(b) inventory.

CERCLA RQ: Not applicable

SARA 311/312: Immediate (acute), delayed (chronic) health hazards.

SARA 313 Isocyanate compound (N120), ~25%

California Prop 65 Product contains California Proposition 65 substances in small quantities (carbon black,

Canadian DSL: All substances in product are listed on the DSL.

WHMIS: See Section 3 for disclosure substances, if applicable. Product is classified in accordance with

Section 16: Other Information

SDS Author: Product Safety Dept. **Version Dat** 30/04/2021

DISCLAIMER The information provided in this SDS is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal, and release and is not be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process unless specified in the text.