

Medipal Alcohol Surface Wipe, with 2% Chlorhexidine

SECTION 1: IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THE COMPANY/UNDERTAKING

1.1 Product Identifier

Product name:	Medipal Alcohol Surface Wipe, with 2% chlorhexidine
Product code:	SSD684110MPCE (single sachet)
Use of the substance/mixture:	Disinfectant
Substance type:	Mixture

1.2 Relevant identified uses of the substance or mixture and uses advised against

Identified uses:	Disinfectant wipes for hard surfaces
Uses advised against:	For professional users only

1.3 Details of the supplier of the safety data sheet

Company:	Pal International limited Bilton Way, Lutterworth, Leicestershire, LE17 4JA, United Kingdom
Telephone:	+441455 555 700
Fax:	+441455 555 755
Email:	info@palinternational.com

1.4 Emergency telephone number

Emergency telephone number:	+441455 555 700 (GMT, English spoken, Mon-Fri 08.00 to 17.00)
Emergency mobile number:	+447725 204 194
NHS medical advice/help:	(+44) 111

SECTION 2: HAZARDS IDENTIFICATION

2.1 Classification of the substance or mixture

2.1.1 Regulation (EC) No. 1272/2008:	Highly flammable liquid and vapour, H225 Causes serious eye irritation, H319 May cause drowsiness or dizziness, H336 Harmful to aquatic life with long lasting effects, H412
--------------------------------------	---

Safety Data Sheet

Version: 8.0 | Date Updated: 04.09.2020

According to EC Regulations 1907/2006 (REACH), 1272/2008 (CLP) & 2015/830

2.2.1 Label elements

Product name: Medipal Alcohol Surface Wipe, with 2% chlorhexidine
Contains: Propan-2-ol and Chlorhexidine

Hazard pictogram(s):



Signal word(s): Danger

Hazard statement(s):
H225: Highly flammable liquid and vapour
H319: Causes serious eye irritation
H336: May cause drowsiness or dizziness
H412: Harmful to aquatic life with long lasting effects

Precautionary statement(s):
P210: Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking
P305 + 351 + 338: IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
P337 + 313: If eye irritation persists: Get medical advice/attention.
P233: Keep container tightly closed.
P370 + 378: In case of fire: Use carbon dioxide, a dry powder, sprayed water, an alcohol resistant foam for extinction.

Supplemental hazard information (EU): Contains Propan-2-ol and Chlorhexidine

2.3 Other hazards: Repeated exposure may cause skin dryness or cracking.

SECTION 3: COMPOSITION/INFORMATION ON INGREDIENTS

3.1 Mixtures

Hazardous components

EC Classification No. 1272/2008

Chemical Name	CAS-No. EC-No. REACH No.	Classification (Regulation (EC) No 1272/2008)	Concentration [%]
Propan-2-ol	67-63-0 200-661-7 01-2119457558-25-xxxx	Flam Liq.2, H225 Eye Irrit.2, H319 STOT SE3, H336	70%
Chlorhexidine Gluconate	18472-51-0 500-220-1	Eye Dam.1, H318 Aquatic Chronic.1, H410	2%

For the full text of the H-statements mentioned in this section, see Section 16

SECTION 4: FIRST AID MEASURES

4.1 Description of first aid measures

Inhalation:	IF INHALED: Obtain medical attention for symptoms of difficulty of breathing
Skin contact:	IF ON SKIN: Rinse with plenty of water.
Eye contact:	IF IN EYE: Rinse with plenty of water.
Ingestion:	IF SWALLOWED: Rinse mouth. Get medical attention if symptoms occur.

4.2 Most important symptoms and effects, both acute and delayed See section 11 for more detailed information on health effects and symptoms.

4.3 Indication of any immediate medical attention and special treatment needed Treat symptomatically.

SECTION 5: FIREFIGHTING MEASURES

5.1 Extinguishing media

Suitable extinguishing media: In the event of fire, use specifically suitable extinguishing agents appropriate for the surrounding fire.

Unsuitable extinguishing media: High volume water jet

5.2 Special hazard arising from the substance or mixture

Specific hazard during firefighting:
Hazardous combustion products:

Keep away from heat and source of ignition.
Decomposition products may include the following materials:
Carbon oxides
Nitrogen oxides
Sulphur oxides
Oxides of phosphorus

5.3 Advice for firefighters

Special protective equipment for firefighters

Use personal protective equipment

SECTION 6: ACCIDENTAL RELEASE MEASURES

6.1 Personal precautions, protective equipment and emergency procedures

Advice for non-emergency personnel:

Remove all sources of ignition. Ensure cleanup is conducted by trained personnel. Refer to protective measures listed in section 7 & 8.

Advice for emergency responders:

If specialized clothing is required to deal with the spillage, take note of any information in section 8 on suitable and unsuitable materials.

6.2 Environmental precautions

Environmental precautions:

Do not allow contact with soil, surface or ground water.

6.3 Methods and material for containment and cleaning up

Methods for cleaning up:

Eliminate all ignition sources if safe to do so. Stop any leak if safe to do so. Contain spillage and then collect with non-combustible absorbent material and place in container for disposal according to local / national regulation (see section 13).

6.4 Reference to other sections

See section 1 for emergency contact information
For personal protection see section 8
See section 13 for additional waste treatment information.

SECTION 7: HANDLING & STORAGE

7.1 Precautions for safe handling

Advice on safe handling:

Use only with adequate ventilation. Wash hands thoroughly after use when product is used frequently.

Hygiene measures:

Handle in accordance with good industrial hygiene and safety practice. Wash face, hands and any exposed skin thoroughly after handling if the product is used frequently.

7.2 Conditions for safe storage, including any incompatibilities

Requirements for storage areas and containers:

Keep away from oxidizing agents. Keep out of reach of children. Keep pack tightly closed. Keep away from extreme heat, hot surfaces, sparks, open flames and other ignition sources. No smoking

Storage temperature:

-10°C to 45°C

7.3 Specific end uses

Specific use(s):

Wet wipe. Manual process for cleaning.

SECTION 8: EXPOSURE CONTROL/PERSONAL PROTECTION

8.1 Control parameters

8.1.1 Occupational Exposure Limits

CAS-No.	Components	Value type (form of exposure)	Control parameters	Update	Basis
67-63-0	Propan-2-ol	STEL	500ppm 1,250 mg/m ³	-	NIOSH REL

8.1.2 Biological limit value

CAS-No.	Substance name	Control parameters	Sampling time	Update

8.2 Exposure controls

8.2.1 Appropriate engineering controls

Good ventilation should be sufficient to control worker exposure to airborne contamination.

8.2.2 Personal protection equipment

Eye/face protection	No special protective equipment required.
Skin protection	No special protective equipment required. For prolonged users please use nitrile gloves.
Respiratory protection	No special protective equipment required.
Thermal hazard	No special protective equipment required.

8.2.3 Environmental Exposure Controls

Consider the provision of contamination around the storage vessels. Do not flush.

SECTION 9: PHYSICAL AND CHEMICAL PROPERTIES

9.1 Information on basic physical and chemical

Appearance	Wet Nonwoven wipe material
Colour	White
Odour	Alcoholic odour
Odour Threshold	No data available
pH	6.5 -7.5
Melting Point/Freezing point	-20°C
Initial boiling point and boiling range	79.5°C
Flash point	20°C (Abel closed cup method)
Evaporation rate	No data available
Flammability (solid, gas)	The mix is considered to be easily flammable under Directive 2001/59/EC.
Upper/lower flammability or explosive limit	No data available
Vapour pressure	Ca. 48hPa (20°C)
Vapour density	No data available
Relative density	0.785-0.875+/- 0.01g/cm ³
Solubility(ies)	Soluble in cold water and hot water.
Partition coefficient: n-octanol/water	Log Kow 0.05 (OECD Test guidance 107) Literature value.
Auto-ignition temperature	Ca. 425°C
Decomposition temperature	No data available
Viscosity	2.41 mPa.s (Dynamic viscosity determined at 20°C.)
Explosive properties	No data available
Oxidising properties	No data available

9.2 Other information

No data available

SECTION 10: STABILITY AND REACTIVITY

10.1	Reactivity	No dangerous reaction known under conditions of normal use.
10.2	Chemical stability	Stable under normal conditions.
10.3	Possibility of hazardous reactions	No dangerous reaction known under conditions of normal use.
10.4	Conditions to avoid	Extreme heat, flames and sparks.
10.5	Incompatible materials	Strong acids and oxidizing agents.
10.6	Hazardous decomposition product(s)	Decomposition products may include the following materials: Carbon oxides Nitrogen oxides Sulphur oxides Oxides of phosphorus

SECTION 11: TOXICOLOGICAL INFORMATION

11.1 Information on toxicological effect

Information on likely routes of exposure	Eye contact and skin contact.
--	-------------------------------

Acute Toxicity

Ingestion	There is no data available for this product.
Inhalation	May cause drowsiness or dizziness.
Skin contact	There is no data available for this product.
Eye contact	There is no data available for this product.
Skin corrosion/irritation	There is no data available for this product.
Serious eye damage/irritation	There is no data available for this product.
Respiratory or skin sensitisation	There is no data available for this product.
Germ cell mutagenicity	There is no data available for this product.
Carcinogenicity	There is no data available for this product.
Reproductive toxicity	There is no data available for this product.
STOT – single exposure	There is no data available for this product.
STOT – repeated exposure	There is no data available for this product.
Aspiration hazard	There is no data available for this product.

Safety Data Sheet

Version: 8.0 | Date Updated: 04.09.2020

According to EC Regulations 1907/2006 (REACH), 1272/2008 (CLP) & 2015/830

SECTION 12: ECOLOGICAL INFORMATION

12.1	Toxicity	No data available
12.2	Persistence and degradability	53% (Exposure Time: 5d), readily biodegradable
12.3	Bioaccumulative potential	No data available
12.4	Mobility in soil	No data available
12.5	Result of PBT and vPvB assessment	This mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher.
12.6	Other adverse effects	Do not flush.

SECTION 13: DISPOSAL CONSIDERATIONS

13.1	Waste treatment methods	Where possible recycling is preferred to disposal or incineration. If recycling is not practicable, dispose of in compliance with local regulation.
13.2	Additional Information	None known.

SECTION 14: TRANSPORT INFORMATION

This product is not classified as dangerous goods for transport in regards to the transport regulations.

Land transport (ADR/AND/RID)

14.1	UN number	UN3175
14.2	UN proper shipping name	"Solids containing flammable liquid", n.o.s (propan-2-ol)
14.3	Transport hazard class(es)	Limited Quantities Special Provision 216 Mixtures of solids which are not subject to ADR and Flammable liquids may be carried under this entry without first applying the classification criteria of Class 4.1, provided there is no free liquid visible at the time the substance is loaded or at the time the packing, vehicle or container is closed. Sealed packets and articles containing less than 10ml, of a Packing Group II or III flammable liquid absorbed into a solid material are not subject to ADR provided there is no free liquid in the packet or article.

Safety Data Sheet

Version: 8.0 | Date Updated: 04.09.2020

According to EC Regulations 1907/2006 (REACH), 1272/2008 (CLP) & 2015/830

14.4	Packaging group	II
14.5	Environmental hazards	No
14.6	Special precautions for user	Not applicable.
14.7	Transport in bulk according to Annex II of MARPOL73/78 and the IBC code	Not applicable.

Sea transport (IMDG/IMO)

14.1	UN number	UN3175
14.2	UN proper shipping name	“Solids containing flammable liquid”, n.o.s (propan-2-ol)
14.3	Transport hazard class(es)	Limited Quantities Special Provision 216 Mixtures of solids which are not subject to ADR and Flammable liquids may be carried under this entry without first applying the classification criteria of Class 4.1, provided there is no free liquid visible at the time the substance is loaded or at the time the packing, vehicle or container is closed. Sealed packets and articles containing less than 10ml, of a Packing Group II or III flammable liquid absorbed into a solid material are not subject to ADR provided there is no free liquid in the packet or article.
14.4	Packaging group	II
14.5	Environmental hazards	No
14.6	Special precautions for user	Not applicable.
14.7	Transport in bulk according to Annex II of MARPOL73/78 and the IBC code	Not applicable.

Air Transport (IATA)

14.1	UN number	UN3175
14.2	UN proper shipping name	“Solids containing flammable liquid”, n.o.s (propan-2-ol)
14.3	Transport hazard class(es)	Special Provision A46. Mixtures of solids which are not subject to these regulations and flammable liquids may be transported under this entry without first applying the classification criteria 4.1, provided there is no free liquid visible at the time the substance is packaged and for single packaging the package must pass a leak-proofness test at the packing group II level. Small inner packagings consisting of sealed packets or articles containing less than 10ml of a Packing Group II or Packing Group III Flammable Liquid absorbed into a solid material are not subject to these regulations provided there is no free liquid in the packet or Article.
14.4	Packaging group	II
14.5	Environmental hazards	No
14.6	Special precautions for user	Not applicable.
14.7	Transport in bulk according to Annex II of MARPOL73/78 and the IBC code	Not applicable.

SECTION 15: REGULATORY INFORMATION

- 15.1 **Safety, health and environmental regulations/legislation specific for the substance or mixture** According to detergents regulation EC 648/2004 Contains 70% Isopropanol. According to DSD(67/548/EC), DPD(1999/45/EC) and CLP(1272/2008/EC) The product contains propanol and has the following hazard phrase associated with the product. H225: Highly flammable liquid and vapour.
- 15.2 **Chemical safety assessment** This product contains substances for which chemical safety assessment is still required.

SECTION 16: OTHER INFORMATION

Full text of H-statements

- H225: Highly flammable liquid and vapour
H319: Causes serious eye irritation
H336: May cause drowsiness or dizziness
H412: Harmful to aquatic life with long lasting effects

Full text of other abbreviations

- ADR: European agreement concerning the international carriage of dangerous goods by Road.
IMDG: International Maritime Dangerous Goods.
IATA: International Air Transport Association.
ICAO: International Civil Aviation Organisation
RID: Regulations concerning the International carriage of Dangerous goods by rail.

Training advice

Professional use product. Training will be required by the product provider.

Disclaimers

This data sheet was compiled using external data from our supplier's and independent laboratories. This safety data sheet contains all the necessary information to conduct a COSHH assessment. This document in its own right does NOT constitute the users own assessment of workplace risk as required by Health and safety legislation.

The information given in this safety data sheet is given in good faith and to the best of our knowledge is correct. No liability is accepted for any loss or damage arising directly from the use of the company's products or from the use of the information given in this safety data sheet, In particular, financial or economical loss unless required by law.

Annex to the extended safety data sheet (eSDS)

This product contains substances for which chemical safety assessment is still required.